


# EMC Dual ridge horn

EH118 (1 – 18 GHz)



## SOLUTION FOR

Radiated emissions testing according to

- ANSI 63.4
- CISPR 11, 12, 13, 16-1-4, 16-1-6, 25, 32
- EN 61000-6-3, EN 61000-6-4
- FCC Part 15, 18, 25, 90
- IEC 60601-1-2
- MIL-STD 461
- RTCA/DO 160

## Main features

### Technical Performance

- Single linear polarization
- Smooth / balanced gain with frequency
- Low return loss / VSWR
- Ultra wide bandwidth (18:1)

### Design

- Unique design preventing the excitation of unwanted high order modes in the aperture
- Well defined smooth radiation pattern throughout the operational bandwidth
- Stiff/robust and lightweight mechanical design
- Precision machined
- High reliability N coaxial connector
  
- Warranty: 3 years

## Product configuration

### Equipment

- Storage box
- Standard axial mounting interface
- Custom mounting interface
- Antenna tripod

### Services

- Calibration
- Maintenance
- Customization: SMA connector


### Delivered documents

- Technical Description Document
- Calibration certificate


Included  Optional

Far Field Radiation Pattern


— E-plane      — H-plane




1 GHz



6 GHz




12 GHz




18 GHz


Gain / Antenna Factor




VSWR



-3 dB beamwidth (2x)



Power handling (CW) / Forward power




## Electrical characteristics

Type of antenna	Dual ridge Horn
Frequency range	1 – 18 GHz
Realized Gain	5.8 – 17 dBi
Antenna Factor	22 – 43 dB/m
E-plane HPBW (2x)	102 – 13 deg
H-plane HPBW (2x)	75 – 21 deg
VSWR	1.1 to 2.3 (average 1.5) : 1
Polarization	Single linear
Impedance	50 Ohms
Power Handling (CW)	1 kW @ 1 GHz 400 W @ 9 GHz 250 W @ 18 GHz

## Mechanical characteristics



Dimensions (H x W x L)	24.3 x 13.4 x 24.3 cm
Weight (approx.)	1.7 Kg
Material	Aluminum
Surface Treatment	Surtec 650®
Coatings	Gray (RAL 7021) Orange (RAL 2009)
RF Connector	N Female – Southwest 312-14SF®

Dimensional Drawing



## A global presence

Microwave Vision exports more than 90% of its production outside of France. The Group spans Europe, Asia and America through 20 locations in 10 countries.

<p><b>MVG Industries</b> 17 avenue de Norvège 91140 Villebon-sur-Yvette FRANCE Tel: +33 (0)1 69 29 02 47</p>	<p><b>MVG - Corporate HQ</b> 47, boulevard Saint Michel 75005 Paris FRANCE Tel: +33 (0)1 75 77 58 50</p>	<p><b>MVG Industries Bretagne</b> Technopole Brest Iroise, Z.I. du Vernis, 225 rue Pierre Rivoalon, 29200 Brest FRANCE Tel: +33 (0)2 98 05 13 34</p>	<p><b>Orbit/FR Germany</b> ORBIT/FR Germany J. S. Bach-Str. 11 85591 Vaterstetten GERMANY Tel: +49 (0)810 699 6060</p>
<p><b>Orbit/FR Israel</b> 1 Gesher Ha-Ets St., P.O. Box 12096, Emek Hefer Industrial Park, 38777-01 Emek Hefer ISRAEL Tel: +972 74 713 0130</p>	<p><b>MVG Italy</b> Via Castelli Romani, 59 00040 Pomezia (Rome) ITALY Tel: +39 06 89 99 53 11</p>	<p><b>Research and Production center in France</b></p> 	<p><b>MVG Sweden</b> P.O. Box 35 44121 Alingsas Gothenburg SWEDEN Tel: +46 31 402 430</p>
<p><b>Rainford EMC Systems Limited</b> Unit 400, Haydock Lane, Haydock WA11 9TH UNITED KINGDOM Tel: +44 (0)1 942 296 190</p>	<p><b>MVG Hong-Kong</b> Suite 702, 7<sup>th</sup> floor Cyberport 1 100 Cyberport Road Pok Fu Lam Hong Kong SAR CHINA Tel: +85 229 896 128</p>	<p><b>MVG India</b> N° 414 Cunnigham Road Level 4 Prestige Centre Point, 560052 Bangalore INDIA Tel: +91 70 22 98 12 16</p>	<p><b>Production site in Israel</b></p> 
<p><b>MVG Japan</b> #101 Confort Musashi- Nakahara, 2-10-32, Shimokodanaka, Nakahara-ku, Kawasaki-city 211-0041 Kanagawa JAPAN Tel: +81 44 948 9301</p>	<p><b>Orbit/FR's Corporate HQ</b> 506 Prudential Road Horsham, PA 19044 UNITED STATES Tel: +1(215) 674 5100</p>	<p><b>MVG, Inc</b> 2105 Barrett Park Dr., Suite 104 Kennesaw, GA 30144 UNITED STATES Tel: +1 678 797 9172</p>	<p><b>AEMI</b> 1320 Air Wing Road, Otay Mesa, CA 92154 UNITED STATES Tel: +1 (619) 449 9492</p>



**Contact your local sales representative for more information**  
[www.mvg-world.com](http://www.mvg-world.com)  
[salesteam@mvg-world.com](mailto:salesteam@mvg-world.com)